

SONELCO

Multiroom

WiFi System

September 2017

SONELCO

Sonelco WiFi System

- ***You can play audio from the cloud (through router) or directly from a local device (Smartphone, tablet, or computer).***
- ***Simple control of all sound functions through APP.***




SONELCO

Sonelco WiFi System

MULTIROOM / MULTIZONE SPEAKER SYSTEM

- ***With SONELCO Wifi you can control every room or zone from any device. You can listen to different music in each room, group rooms together, or hear the same song everywhere.***
- ***Up to 8 zones***



SONELCO

Sonelco WiFi System

MUSIC UNLIMITED

- ***Listen to millions of songs from different streaming music services and***
- ***More than 100,000 radio stations.***

Works with:



SONELCO

Sonelco WiFi System

APP AVAILABLE ON:



>> SONELCO WIFI

SONELCO

COMPACT AND INNOVATIVE DESIGN



- ***Slim frame***
- ***Metallic grid held with neodymium magnets***
- ***2-way coaxial speaker, with fiberglass woofer***
- ***Outer diameter of only 21 cm***

Sonelco WiFi System

EASY INSTALLATION AND CONFIGURATION

- ***Installation in false ceiling***
- ***Direct connection to the mains***
- ***Dog-leg clamps for quicker installation***
- ***Configuration from the APP***



SONELCO

Sonelco WiFi System

EXPANDABLE

- *You can add more speakers to each WiFi unit*
 - *W-64: Passive speaker for stereo sound*
 - *W-20: Amplified speaker, for rooms with more than two speakers*



SONELCO

6.5" amplified WiFi speaker

W77



Model	W77
It includes	W64 + WiFi + Amp.
Amplifier power (RMS)	20+20 W (Stereo)
Impedance	4 Ohm
Supply	230 V AC
Type	2-way (6.5" woofer & 0.8" tweeter)
Color	White. With metallic grid
Dimensions	Ø 210 x 135 mm
False ceiling installation	Hole Ø 180 mm – Depth: 135 mm

6.5" passive speaker W64



Model	W64
Impedance	4 Ohm
Nominal power	80 W
Maximum power	160 W
Type	2-way (6.5" woofer & 0.8" tweeter)
Color	White. With metallic grid
Dimensions	Ø 210 x 135 mm
False ceiling installation	Hole Ø 180 mm – Depth: 135 mm

6.5" active speaker W20



Model	W20
It includes	W64 + Amplifier
Amplifier power (RMS)	20+20 W (Stereo)
Impedance	4 Ohm
Supply	230 V AC
Type	2-way (6.5" woofer & 0.8" tweeter)
Color	White. With metallic grid
Dimensions	Ø 210 x 135 mm
False ceiling installation	Hole Ø 180 mm – Depth: 135 mm

Examples of speaker combinations

WiFi Speaker System in False Ceiling

Room / Zone with 1 speaker



Model	Description	Qty
W-77	Amplified WiFi speaker	1

Room / Zone with 2 speakers



Same volume & source for all speakers

Model	Description	Qty
W-77	Amplified WiFi speaker	1
W-64	Passive speaker 80/160 W	1

One or two different atmospheres:
Same or different volume and source

Model	Description	Qty
W-77	Amplified WiFi speaker	2

Examples of speaker combinations

WiFi Speaker System in False Ceiling

Room / Zone with 3 speakers



Same volume & source for all speakers

Model	Description	Qty
W-77	Amplified WiFi speaker	1
W-20	Amplified speaker 20+20 W	1
W-64	Passive speaker 80/160 W	1

One or two different atmospheres: Same or different volume and source

Model	Description	Qty
W-77	Amplified WiFi speaker	2
W-64	Passive speaker 80/160 W	1

One, two or three different atmospheres: Same or different volume and source

Model	Description	Qty
W-77	Amplified WiFi speaker	3

Examples of speaker combinations

WiFi Speaker System in False Ceiling

Room / Zone with 4 speakers



Same volume & source for all speakers

Model	Description	Qty
W-77	Amplified WiFi speaker	1
W-20	Amplified speaker 20+20 W	1
W-64	Passive speaker 80/160 W	2

One or two different atmospheres:
Same or different volume and source

Model	Description	Qty
W-77	Amplified WiFi speaker	2
W-64	Passive speaker 80/160 W	2

One, two, three or four different atmospheres:
Same or different volume and source

Model	Description	Qty
W-77	Amplified WiFi speaker	4

Examples of speaker combinations

WiFi Speaker System in False Ceiling

Room / Zone with 8 speakers



Same volume & source for all speakers

Model	Description	Qty
W-77	Amplified WiFi speaker	1
W-20	Amplified speaker 20+20 W	3
W-64	Passive speaker 80/160 W	4

One, two, three or four different atmospheres:
Same or different volume and source

Model	Description	Qty
W-77	Amplified WiFi speaker	4
W-64	Passive speaker 80/160 W	4

Up to eight different atmospheres:
Same or different volume and source

Model	Description	Qty
W-77	Amplified WiFi speaker	8

Wiring diagrams

WiFi Speaker System in False Ceiling

Room / Zone with 1 speaker



Room / Zone with 2 speakers
(Same control for both)




Room / Zone with 2 speakers
(Independent control on each one,
2 different atmospheres)



Wiring diagrams

WiFi Speaker System in False Ceiling

Room / Zone with 4 speakers
(Same control for all)



Room / Zone with 4 speakers
(2 different atmospheres)

